

L Number	Hits	Search Text	DB	Time stamp
1	833	carbon near2 heat\$3 with conduct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:57
5	2	(((((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas) and resistance) and rectangular with cross near2 section	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:00
6	4	(((((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas) and resistance) and rectangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:59
7	2	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and rectangular with cross near2 section	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:00
8	16	(carbon near2 heat\$3 with conduct\$3) and rectangular with cross near2 section	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:04
9	5	(carbon near2 heat\$3 with conduct\$3) and firing with organic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:06
10	3	(((((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas) and resistance with range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:09
11	0	(((((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas) and resistance with ohm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:09
13	1	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and resistance with ohm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:10
4	17	(((((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas) and resistance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:11
3	19	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:45
14	30	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) not (((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:48

15	2	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) not (((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and inert adj gas)) and carbon near2 boron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:49
16	7	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and carbon near2 boron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:49
12	16	(carbon near2 heat\$3 with conduct\$3) and resistance with ohm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:00
2	49	(carbon near2 heat\$3 with conduct\$3) and boron adj nitride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:01
17	2	((carbon near2 heat\$3 with conduct\$3) and rectangular with cross near2 section) and boron	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:10
18	10	((carbon near2 heat\$3 with conduct\$3) and boron adj nitride) and carbonization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:12
19	0	(carbon near2 heat\$3 with conduct\$3) and pilyvinil adj chloride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:13
20	0	(carbon near2 heat\$3 with conduct\$3) and polyvinil adj chloride	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:13
21	0	polyvinil adj chloride with furan adj resin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:13
22	209	polyvinyl adj chloride with furan adj resin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:14
23	1	(carbon near2 heat\$3 with conduct\$3) and (polyvinyl adj chloride with furan adj resin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:15
24	28	(polyvinyl adj chloride with furan adj resin) and heater	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:15

25	28	((polyvinyl adj chloride with furan adj resin) and heater) and carbon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:15
----	----	--	---	------------------